CC BY

Marine ecosystem resilience: Integrative insights on climate change impacts and adaptive strategies

Mirzaei M.R.[1*]; Ajdari A.[1]

Received: April 2024 Accepted: June 2024

Abstract

Marine ecosystems, critical components of global biodiversity and human livelihoods, face unprecedented threats from climate change. This paper examines the multidimensional impacts of climate change on marine ecosystems, focusing on rising temperatures, acidification and habitat destruction. Key themes include the central role of biodiversity in improving resilience, the synergistic effects of climate stressors and the importance of community-led conservation initiatives. The review also identifies critical gaps in research, such as the need for longitudinal studies and the integration of indigenous knowledge. Adaptation strategies such as Marine Protected Areas (MPAs) and ecosystem-based management are discussed for their effectiveness in mitigating climate impacts and promoting sustainability. By synthesizing current literature, this article highlights the importance of interdisciplinary approaches that combine ecological, socioeconomic and technological perspectives to improve the future resilience of marine ecosystems. This comprehensive analysis contributes to a deeper understanding of the challenges and solutions for marine conservation in the face of climate change.

Keywords: Climate change impacts, Ocean warming, Biodiversity resilience, Marine Protected Areas, Adaptive strategies

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

1- Off- shore Fisheries Research Center, Iranian Fisheries Science Research Institute, Agricultural Research, Education and Extension Organization (AREEO), Chabahar, Iran
*Corresponding author's Email: mirzaei.mr@gmail.com

Introduction

Marine ecosystems are home to countless species and provide invaluable services to human societies, making them critical pillars of global biodiversity. These ecosystems support the stability of planetary systems in a variety of ways, including through fisheries, carbon sequestration, nutrient cycling, and coastal protection (Bonan and Doney, 2018). However, it is becoming increasingly clear how vulnerable they are to climate change. These ecosystems are under unprecedented stress due to a combination of habitat destruction, acidification and rising ocean temperatures, threatening their ability to sustain marine biodiversity and function efficiently.

Additionally, marine ecosystems are essential to both economic livelihoods and global food security. For instance, coral reefs sustain more than 25% of marine life and generate billions of dollars in revenue for the fishing and tourism sectors each year (Cruz-Trinidad *et al*., 2014). However, climate change poses one of the biggest threats to these vital habitats (Hulme, 2005). Rising sea levels are hastening the loss of coastal habitat, acidification is eroding calcifying organisms, and ocean warming is intensifying coral bleaching events (Hoegh-Guldberg *et al*., 2019). These cumulative effects demonstrate the pressing need for a better comprehension of marine ecosystem resilience mechanisms and the creation of adaptable mitigation techniques. The ability of marine ecosystems to withstand shocks, adjust to shifting circumstances, and preserve ecological functioning is referred to as resilience (Bernhardt and Leslie, 2013). Biodiversity and resilience are closely related because diverse ecosystems typically have stronger stress-recovery mechanisms (Schebella *et al*., 2020). For example, compared to coral reefs with lower biodiversity, those with a high diversity of fish and invertebrate species are better able to tolerate heat stress (Sebens, 1994). However, since efficient management and community involvement are essential to maintaining ecosystems, resilience is not just ecological; it also includes socioeconomic and governance aspects (Folke *et al*., 2010).

Moreover, the interconnectedness of marine ecosystems with global climate systems underscores their role in mitigating climate change. Mangroves and seagrass meadows act as significant carbon sinks, capturing and storing atmospheric CO2 (Huxham *et al*., 2018). Protecting and restoring these habitats is not only essential for biodiversity but also for enhancing the planet's capacity to regulate greenhouse gases (Shin *et al*., 2022). Therefore, strategies that promote resilience must integrate ecological science with socio-economic and technological innovations to address the multifaceted challenges posed by climate change (Suprayitno *et al*., 2024). The aim of this review is to provide a thorough analysis of how climate change is affecting marine ecosystems and what adaptation measures can increase their resilience. The aim is to identify key

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

insights and knowledge gaps by synthesizing existing knowledge and providing practical suggestions for conservation professionals and policy makers. The discussion in the following sections addresses the specific impacts of climate stressors on marine biodiversity, the role of adaptive management techniques and the importance of promoting integrated conservation strategies. The ultimate goal is to contribute to the creation of sustainable interventions that protect marine ecosystems and the socio-economic benefits they provide for future generations.

Climate change impacts on marine ecosystems

Ocean warming

Warming oceans are causing significant disruptions to the distribution, behavior and habitat structures of marine species (Nagelkerken and Munday, 2016). Increased temperatures are forcing species to migrate to cooler regions, altering established ecosystems and increasing competition for resources. Coral reefs, for example, are very sensitive to thermal stress, resulting in mass bleaching that leads to biodiversity loss and degradation of ecosystem services (Riegl *et al*., 2009). In addition, warming waters affect reproductive cycles and food availability, further destabilizing marine populations. For example, species such as plankton, which form the basis of the marine food web, experience altered bloom times, and impacting higher trophic levels (Planque *et al*., 2010). Adaptation strategies such as Marine Protected Areas (MPAs) have been shown to mitigate these impacts by preserving biodiversity hotspots and promoting recovery. Long-term monitoring and climate-resilient ocean policies are critical to address the pervasive impacts of ocean warming (Wilson *et al*., 2020) (Fig. 1).




Figure 1: Projected global surface ocean temperature changes from 12 CMIP5 AOGCMs under RCP2.6, RCP4.5, RCP6.0, and RCP8.5, with shading showing the 90% range of

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

temperature anomalies: https://www.climatesignals.org/resources/chart-projected-changes-global-sea-surface-temperature.

Ocean acidification

Corals and shellfish are among the calcifying organisms that are seriously threatened by ocean acidification, which is caused by an increase in atmospheric CO2 (Abbasi and Abbasi, 2011). Coral reefs' structural integrity and ability to sustain marine biodiversity are jeopardized when pH levels drop because this disturbs calcification processes (Adeniran-Obey *et al*., 2024). Reduced fishery productivity and a loss of coastal protection are examples of socioeconomic repercussions. Beyond its effects on the environment, acidification has an impact on fisheries-dependent livelihoods, especially in coastal communities that are still developing. Reducing CO2 emissions worldwide, repairing damaged habitats locally, and developing aquaculture techniques to maintain shellfish populations are all important components of a multifaceted strategy to combat acidification (Elver and Oral, 2021). Predictive management techniques to reduce future effects can also be informed by monitoring and modeling acidification patterns (Fig. 2).




Figure 2: Projected changes in acidification rates towards the end of the century, with significant divergence among scenarios after 2050, and accelerated acidification under the highest emission scenario. Source: OSPAR Assessment Portal.

Habitat loss and altered species interactions

Rising sea levels and habitat degradation are disrupting the delicate balance of marine ecosystems. Particularly at risk are mangroves and seagrass meadows, which serve as carbon sinks and breeding grounds for marine life (Mitra *et al*., 2016). For example, deforestation of mangrove forests due to coastal development accelerates erosion and reduces biodiversity. Furthermore, changes in species interactions caused by climate-induced changes alter food web dynamics and ecosystem functioning (Santojanni *et al*., 2023). Particularly affected are predator-prey relationships, which has cascading effects on ecosystem stability. Addressing these challenges requires integrated management approaches that prioritize habitat restoration, promote

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

sustainable development and improve ecosystem connectivity (Terêncio *et al*., 2021). International cooperation and political interventions, such as B. Habitat restoration initiatives, play a critical role in reversing habitat loss.

Biodiversity and ecosystem functioning

The role of biodiversity in resilience

The ability of marine ecosystems to withstand and recover from climatic stressors is enhanced by biodiversity (Bernhardt and Leslie, 2013). Diverse ecosystems protect against disturbance by dividing ecological roles among multiple species (Bengtsson *et al*., 2000). For example, coral reefs with scattered seagrass beds exhibit greater resilience to temperature fluctuations compared to ecosystems with lower biodiversity (Unsworth and Cullen-Unsworth, 2014). In addition, functional redundancy - where multiple species perform comparable ecological tasks - is supported by species diversity, ensuring ecosystem stability even in the event of extinction of some species. Achieving the biodiversity goals under the Sustainable Development Goals (SDGs) promotes social justice, economic stability and ecological health (Obrecht *et al*., 2021). To maintain ecological integrity and resilience, conservation efforts must prioritize protecting both species and their habitats.

Impacts of species loss on ecosystem services

Species loss impacts important ecosystem services, including nutrient cycling, carbon sequestration and coastal protection. The decline of important species can trigger cascading effects that destabilize marine habitats and reduce productivity. For example, the loss of seagrass beds reduces their role as carbon sinks and contributes to higher levels of CO2 in the atmosphere. Protecting biodiversity is therefore crucial for maintaining ecosystem services and strengthening resilience. Governance frameworks that integrate environmental, economic and social dimensions are key to sustaining these benefits. Encouraging community participation and incorporating traditional ecological knowledge can strengthen conservation strategies and improve outcomes.

Adaptive strategies for resilience

Marine protected areas (MPAs)

By preserving biodiversity and encouraging sustainable fishing, MPAs are useful instruments for boosting the resilience of marine ecosystems (Rice *et al*., 2012). Research indicates that properly managed MPAs lessen the effects of climate stressors and aid in the recovery of overfished stocks (Gourlie, 2017; Kenchington *et al*., 2018). Through the development of local stewardship and adaptive capacity, community involvement in MPA governance enhances their efficacy even more. For instance, fish biomass and biodiversity have significantly increased as a result of the creation of no-take zones within MPAs (Gilchrist *et al*., 2020). MPAs need to be placed strategically and properly enforced in

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

order to have the greatest possible impact. Long-term success and compliance can be improved by funding local communities' education and capacity-building.

Restoration ecology

Restoration efforts such as replanting mangroves and coral gardens play a critical role in improving ecosystem resilience (Hernández-Delgado, 2024). Advanced technologies, including remote sensing and ecological modeling, enable targeted restoration efforts (Rose *et al*., 2015; Pettorelli *et al*., 2018). The use of predictive models helps, for example, to identify priority protected areas and thus ensure efficient resource allocation. Restoration efforts must also address the root causes of deterioration, such as pollution and unsustainable development. Collaborative projects with governments, NGOs and local stakeholders can improve restoration outcomes and ensure sustainability.

Ecosystem-based management

Ecosystem-based management integrates ecological, social and economic considerations to address the diverse impacts of climate change. By applying precautionary and adaptive approaches, this strategy improves the sustainability of marine resources. Case studies demonstrate its effectiveness in balancing conservation objectives and community livelihoods, particularly in fisheries management. Ecosystem-based management also facilitates the integration of climate adaptation into broader policy frameworks and ensures that conservation efforts are aligned with socioeconomic priorities. This holistic approach is critical to building resilience and ensuring the long-term viability of marine ecosystems.

Conclusion

Summary of key insights

This report highlights the profound impacts of climate change on marine ecosystems and highlights the critical role of biodiversity in improving resilience. Ocean warming, acidification and habitat loss are identified as major threats, each requiring targeted interventions. Adaptive strategies such as MPAs, restoration ecology, and ecosystem-based management offer promising avenues for mitigating these impacts. However, significant knowledge gaps remain, particularly in understanding long-term impacts on resilience and integrating indigenous knowledge into conservation frameworks.

The importance of integrated approaches

Achieving future resilience in marine ecosystems requires integrated approaches that combine ecological science, socioeconomic considerations and technological innovation. Collaborative frameworks that include stakeholders across disciplines are critical to addressing the complex challenges posed by climate change. For example, partnerships between governments, researchers and local communities can facilitate the

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

development of comprehensive conservation strategies. By fostering interdisciplinary collaboration, we can develop robust strategies to protect marine ecosystems and ensure their sustainability for future generations. Investments in education, capacity building and international cooperation will be crucial to achieving these goals.

References

Abbasi, T. and Abbasi, S., 2011. Ocean acidification: The newest threat to the global environment. *Critical Reviews in Environmental Science and Technology*, 41(**18**), pp. 1601-1663. https://doi.org/10.1080/10643389.2010.481579

Adeniran-Obey, S.O., Isibor, P.O. and Imoobe, T.O., 2024. Marine Water Acidification and Coral Bleaching. In *Arctic Marine Ecotoxicology* (pp. 403-420). Springer. DOI:10.1007/978-3-031-73584-4_19

Bengtsson, J., Nilsson, S.G., Franc, A. and Menozzi, P., 2000. Biodiversity, disturbances, ecosystem function and management of European forests. *Forest ecology and management*, 132(**1**), pp. 39-50. https://doi.org/10.1016/S0378-1127(00)00378-9

Bernhardt, J. R., and Leslie, H. M. 2013. Resilience to climate change in coastal marine ecosystems. *Annual review of marine science*, *5*(1), pp. 371-392. https://doi.org/10.1146/annurev-marine-121211-172411

Bonan, G.B. and Doney, S.C., 2018. Climate, ecosystems, and planetary futures: The challenge to predict life in Earth system models. *Science*, 359(**6375**), eaam8328. DOI:10.1126/science.aam8328

Cruz-Trinidad, A., Aliño, P.M., Geronimo, R.C. and Cabral, R.B., 2014. Linking food security with coral reefs and fisheries in the coral triangle. *Coastal Management*, 42(**2**), pp. 160-182. https://doi.org/10.1080/08920753.2014.877761

Elver, H. and Oral, N., 2021. Food security, fisheries and ocean acidification: a human rights based approach. In *Research handbook on ocean acidification law and policy* (pp. 74-92). Edward Elgar Publishing.

Folke, C., Carpenter, S. R., Walker, B., Scheffer, M., Chapin, T. and Rockström, J., 2010. Resilience thinking: integrating resilience, adaptability and transformability. *Ecology and Society*, 15(**4**). https://www.jstor.org/stable/26268226

Gilchrist, H., Rocliffe, S., Anderson, L. G. and Gough, C.L., 2020. Reef fish biomass recovery within community-managed no take zones. *Ocean and Coastal Management*, 192, 105210. https://doi.org/10.1016/j.ocecoaman.2020.105210

Gourlie, D., 2017. Reeling in uncertainty: adapting marine fisheries management to cope with climate effects on ocean ecosystems. *Environmental Law*, 47, 179.

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

Hernández-Delgado, E.A., 2024. Coastal restoration challenges and strategies for small island developing states in the face of sea level rise and climate change. *Coasts*, 4(**2**), pp. 235-286. https://doi.org/10.3390/coasts4020014

Hoegh-Guldberg, O., Pendleton, L. and Kaup, A., 2019. People and the changing nature of coral reefs. *Regional Studies in Marine Science*, 30,100699.https://doi.org/10.1016/j.rsma.2019.100699

Hulme, P.E., 2005. Adapting to climate change: is there scope for ecological management in the face of a global threat? *Journal of Applied ecology*, 42(**5**), pp.784-794. https://doi.org/10.1111/j.1365-2664.2005.01082.x

Huxham, M., Whitlock, D., Githaiga, M. and Dencer-Brown, A., 2018. Carbon in the coastal seascape: how interactions between mangrove forests, seagrass meadows and tidal marshes influence carbon storage. *Current Forestry Reports*, 4, pp. 101-110. https://doi.org/10.1007/s40725-018-0077-4

Kenchington, R., Kaiser, M. and Boerder, K., 2018. MPAs, fishery closures and stock rebuilding. *Rebuilding of Marine Fisheries Part*, 2, pp. 182-216.

Mitra, A. and Zaman, S., 2016. Threats to marine and estuarine ecosystems. *Basics of marine and estuarine ecology*, pp. 365-417. Threats to marine and estuarine ecosystems. Basics of marine and estuarine ecology. https://doi.org/10.1007/978-81-322-2707-6_10

Nagelkerken, I. and Munday, P.L., 2016. Animal behaviour shapes the ecological effects of ocean acidification and warming: moving from individual to community-level responses. *Global Change Biology*, 22(**3**), pp. 974-989. https://doi.org/10.1111/gcb.13167

Obrecht, A., Pham, M., Spehn, E., Payne, D., Brémond, A.C., Altermatt, F., Fischer, M., Passarello, C., Moersberger, H. and Schelske, O. 2021. Achieving the SDGs with biodiversity. Akademie der Naturwissenschaften Schweiz (SCNAT), Forum Biodiversität Schweiz.

Pettorelli, N., Schulte to Bühne, H., Tulloch, A., Dubois, G., Macinnis-Ng, C., Queirós, A.M., Keith, D.A., Wegmann, M., Schrodt, F., and Stellmes, M., 2018. Satellite remote sensing of ecosystem functions: opportunities, challenges and way forward. *Remote Sensing in Ecology and Conservation*, 4(**2**), pp. 71-93. https://doi.org/10.1002/rse2.59

Planque, B., Fromentin, J.M., Cury, P., Drinkwater, K.F., Jennings, S., Perry, R.I. and Kifani, S., 2010. How does fishing alter marine populations and ecosystems sensitivity to climate? *Journal of Marine Systems*, 79(**3-4**), pp. 403-417. https://doi.org/10.1016/j.jmarsys.2008.12.018

Rice, J., Moksness, E., Attwood, C., Brown, S.K., Dahle, G., Gjerde, K.

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]

M., Grefsrud, E.S., Kenchington, R., Kleiven, A.R. and McConney, P., 2012. The role of MPAs in reconciling fisheries management with conservation of biological diversity. *Ocean and Coastal Mmanagement*, 69, pp. 217-230. https://doi.org/10.1016/j.ocecoaman.2012.08.001

Riegl, B., Bruckner, A., Coles, S.L., Renaud, P. and Dodge, R.E., 2009. Coral reefs: threats and conservation in an era of global change. *Annals of the New York Academy of Sciences*, 1162(**1**), pp.136-186. https://doi.org/10.1111/j.1749-6632.2009.04493.x

Rose, K.A., Sable, S., DeAngelis, D.L., Yurek, S., Trexler, J.C., Graf, W., and Reed, D.J., 2015. Proposed best modeling practices for assessing the effects of ecosystem restoration on fish. *Ecological Modelling*, 300, pp. 12-29. https://doi.org/10.1016/j.ecolmodel.2014.12.020

Schebella, M.F., Weber, D., Schultz, L. and Weinstein, P., 2020. The nature of reality: Human stress recovery during exposure to biodiverse, multisensory virtual environments. *International Journal of Environmental Research and Public Health*, 17(**1**), 56. https://doi.org/10.3390/ijerph17010056

Sebens, K.P., 1994. Biodiversity of coral reefs: What are we losing and why? *American zoologist*, 34(**1**), pp. 115-133. https://doi.org/10.1093/icb/34.1.115

Shin, Y.J., Midgley, G.F., Archer, E.R., Arneth, A., Barnes, D.K., Chan, L., Hashimoto, S., Hoegh-Guldberg, O., Insarov, G. and Leadley, P., 2022. Actions to halt biodiversity loss generally benefit the climate. *Global Change Biology*, 28(**9**), pp. 2846-2874. https://doi.org/10.1111/gcb.16109

Suprayitno, D., Iskandar, S., Dahurandi, K., Hendarto, T. and Rumambi, F.J., 2024. Public policy in the era of climate change: Adapting Strategies for sustainable futures. *Migration Letters*, 21(**S6**), pp. 945-958.

Terêncio, D., Varandas, S.D.G.P., Fonseca, A., Cortes, R., Fernandes, L., Pacheco, F.A.L., Monteiro, S., Martinho, J., Cabral, J. and Santos, J., 2021. Integrating ecosystem services into sustainable landscape management: A collaborative approach. *Science of the Total Environment*, 794, 148538. https://doi.org/10.1016/j.scitotenv.2021.148538

Unsworth, R. and Cullen-Unsworth, L.C., 2014. Biodiversity, ecosystem services, and the conservation of seagrass meadows. *Coast. Conserv*, 19, 95.

Wilson, K.L., Tittensor, D.P., Worm, B. and Lotze, H.K., 2020. Incorporating climate change adaptation into marine protected area planning. *Global Change Biology*, 26(**6**), pp. 3251-3267.

[Downloaded from injbir.com on 2026-11-19]

[DOI: 10.22034/INJBIR.2.2.1]